



Copyright © 2016 Paser.
All registered trademarks belong to their owners.
Paser Srl: Str. Per Poirino 29 - 14019 - Villanova
D'Asti (AT) - Italia - P.Iva: IT 01060670054

www.paser.it

WARRANTY

THIS PRODUCT HAS 2 YEAR WARRANTY FOR ANY MANUFACTURING DEFECT DETECTED. HOW TO VALIDATION OF WARRANTY IS REQUIRED THE BILL OF PURCHASE.

For all support, please contact the technical support number: **+39 0141 - 947676**

The information provided in this manual are purely for information purposes can be subject to change without notice. At the time of publication the information is correct and reliable. However Paser can not be held responsible for any consequences arising from errors or omissions in this manual. Paser reserves the right to increase / modify the product or manual without the obligation to notify users.



Use Guide

PRODUCT CODE: KIT CHARGE / CAR



KIT CHARGE CAR

A reliable, simple to use and UNIVERSAL solution
against the problem of the car battery discharge.



Copyright © 2016 Paser. All registered trademarks belong to their owners.
Paser Srl: Str. Per Poirino 29 - 14019 - Villanova D'Asti (AT) - Italia - P.Iva: IT 01060670054

www.paser.it

DESCRIPTION

II **KIT CHARGE / CAR** is the new battery charge system for vehicles, developed by Paser.

The system provides a reliable, simple to use and economical against the problem of the car battery discharge.

Paser sells this product with:

- 1 battery clamps set
- 1 battery charging module
- 1 harness for the connection to home electrical sockets (220V)
- 1 harness for the connection to lighter socket
- 1 adapter harness USB/iPod (LIGHTNING e 30 pin) / microUSB
- 1 use guide
- 1 set handbag

The little dimensions of the KIT CAR CHARGER allows a high level integration in a small space.

ATTENTION!

This module is useful only for the engine vehicles :

- gasoline engines less than 5,0 L

- diesel engines less than 3,0 L.

Lighting

Please press the unit key for 3 seconds to enable the LED lighting; and then, pressing briefly the same key, you could set a way of lighting, among these ones:

- Flashing burst
- SOS
- OFF

Please, select your favourite way of lighting.

TECNICAL SPECIFICATION

>> UNIVERSAL DEVICE

Size: 180 x 87 x 29 mm

Weight: 445 g

Connection to lighter socket: 12 V

USB Input

220V Input

Switching on current: 200 A

Current peak: 400 A

Full charging time: 3 hours

Power feeding: 12 VDC

Operating temperature: -20° + 60°

TROUBLE SHOOTING

- **No response when pressing the switch button.**
- Probably the module is in "low voltage protection" mode, please plug the charger into the 14V/1A input port to activate.

OTHER USES


AS BATTERY RECHARGER FOR MOBILE DEVICES:

The CAR BATTERY CHARGER is supplied of USB socket for the connection of several mobile devices (5V / 2V), like:

- Smartphone
- Tablet
- Camera
- MP3 reader
- PSP
- Etc.

To recharge the battery of these devices you only have to connect the supplied harness to the LIGHTER SOCKET of the vehicle and the USB adapter to the USB socket of the CAR BATTERY CHARGER.

The time for a complete recharge is about 3 hours.



Thanks to a 220V input of the central unit, it is also possible to do the re-charging process using a normal electrical socket!

COMPONENTS DIAGRAM

BATTERY CLAMPS



LIGHTER CABLE



ADAPTER USB/IPOD
(LIGHTNING E30 PIN)
MICROUSB




HARNESS
TO CONNECTING
TO 220V

SET HANDBAG



CENTRAL UNIT



HOW IT WORKS

Before using, please ensure that the engine of your vehicle is compatible with the KIT CAR CHARGER (<5,0 Petrol, <3,0L Diesel).

1. Please connect the battery clamps to the car battery and to the charger module, using the dedicated input.
- the RED clamp has to be connected to the positive (+) of the car battery;
 - the BLACK clamp has to be connected to the negative (-) of the car battery.
2. Please turn the key and wait for the vehicle re-start.
3. Please, disconnect within 15 seconds the battery clamps from the vehicle and the charger module.

